

2025

1. **High-glucose Diets Differentially Modulate Phosphatidylcholine Metabolism and Fecundity in *Caenorhabditis elegans***
Wang, C. W., Chiu, P., Monsalve, S., Roure, R., Bai, X., Law, J. J., Wu, Y. C., Chen, Y. R., Cheng, Y. L., Chen, R. H. & Wu, Y. C., 2025, 於: *Frontiers in Cell and Developmental Biology*. 13, 1622695.
 2. **Mga2-mediated Transcription Supports Mitotic Nuclear Expansion under Lipid Saturation Conditions in Stearoyl-CoA Desaturase Ole1 Mutant**
Cheng, Y. L., Kuan, J. E., Wang, C. W. & Chen, R. H., 2025 11 月 1, 於: *Molecular Biology of the Cell*. 36, 11, ar144.
 3. **The Vps13-like Protein BLTP2 Regulates Phosphatidylethanolamine Levels to Maintain Plasma Membrane Fluidity and Breast Cancer Aggressiveness**
Banerjee, S., Daetwyler, S., Bai, X., Michaud, M., Jouhet, J., Binns, D., Madhugiri, S., Johnson, E., Wang, C. W., Fiolka, R., Toulmay, A. & Prinz, W. A., 2025 7 月, 於: *Nature Cell Biology*. 27, 7, p. 1125-1135.
-

2024

4. **The Lipid Droplet Assembly Complex Consists of Seipin and Four Accessory Factors in Budding Yeast**
Wang, C. W., Chen, R. H. & Chen, Y. K., 2024 8 月, 於: *Journal of Biological Chemistry*. 300, 8, 107534.
-

2021

5. **Loss of the Seipin Gene Perturbs Eggshell Formation in *Caenorhabditis elegans***
Bai, X., Huang, L. J., Chen, S. W., Nebenfuehr, B., Wysolmerski, B., Wu, J. C., Olson, S. K., Golden, A. & Wang, C. W., 2021 10 月, 於: *Development*. 147,

20, dev192997.

6. **NbSOBIR1 Partitions into Plasma Membrane Microdomains and Binds ER-localized NbRLP1**

Li, Y. H., Ke, T. Y., Shih, W. C., Liou, R. F. & Wang, C. W., 2021 9 月 1, 於:
Frontiers in Plant Science. 12, 721548.

2019

7. **Seipin Negatively Regulates Sphingolipid Production at the ER-LD Contact Site**

Su, W. C., Lin, Y. H., Pagac, M. & Wang, C. W., 2019 11 月 4, 於: *Journal of Cell Biology*. 218, 11, p. 3663-3680.

2017

8. **Lipid Droplets Are Central Organelles for Meiosis II Progression during Yeast Sporulation**

Hsu, T. H., Chen, R. H., Cheng, Y. H., Wang, C. W. & Riezman, H., 2017 2 月 1, 於: *Molecular Biology of the Cell*. 28, 3, p. 440-451.

2016

9. **Lipid Droplets, Lipophagy, and Beyond**

Wang, C. W., 2016 8 月 1, 於: *Biochimica et Biophysica Acta - Molecular and Cell Biology of Lipids*. 1861, 8, p. 793-805.

10. **Lipid Droplets Maintain Lipid Homeostasis during Anaphase for Efficient Cell Separation in Budding Yeast**

Yang, P. L., Hsu, T. H., Wang, C. W. & Chen, R. H., 2016 8 月 1, 於:
Molecular Biology of the Cell. 27, 15, p. 2368-2380.

11. **The Phospholipid:Diacylglycerol Acyltransferase Lro1 Is Responsible for Hepatitis C Virus Core-induced Lipid Droplet Formation in a Yeast Model System**

Iwasa, S., Sato, N., Wang, C. W., Cheng, Y. H., Irokawa, H., Hwang, G. W., Naganuma, A. & Kuge, S., 2016 7 月, 於: *PLoS ONE*. 11, 7, e0159324.

2015

12. Lipid Droplet Dynamics in Budding Yeast

Wang, C. W., 2015 7 月 24, 於: *Cellular and Molecular Life Sciences*. 72, 14, p. 2677-2695.

13. Tomato SOBIR1/EVR Homologs Are Involved in Elicitin Perception and Plant Defense against the Oomycete Pathogen *Phytophthora parasitica*

Peng, K. C., Wang, C. W., Wu, C. H., Huang, C. T. & Liou, R. F., 2015 8 月 1, 於: *Molecular Plant-Microbe Interactions*. 28, 8, p. 913-926.

2014

14. A Sterol-enriched Vacuolar Microdomain Mediates Stationary Phase Lipophagy in Budding Yeast

Wang, C. W., Miao, Y. H. & Chang, Y. S., 2014, 於: *Journal of Cell Biology*. 206, 3, p. 357-366.

15. Control of Lipid Droplet Size in Budding Yeast Requires the Collaboration between Fld1 and Ldb16

Wang, C. W., Miao, Y. H. & Chang, Y. S., 2014 3 月, 於: *Journal of Cell Science*. 127, 6, p. 1214-1228.

16. Stationary Phase Lipophagy as a Cellular Mechanism to Recycle Sterols during Quiescence

Wang, C. W., 2014 11 月 1, 於: *Autophagy*. 10, 11, p. 2075-2076.

2012

17. Sorting Signals That Mediate Traffic of Chitin Synthase III between the TGN/Endosomes and to the Plasma Membrane in Yeast

Starr, T. L., Pagant, S., Wang, C. W. & Schekman, R., 2012 10 月 3, 於: *PLoS*

ONE. 7, 10, e46386.

18. **The Ubiquitin-like (UBX)-domain-containing Protein Ubx2/Ubx8
Regulates Lipid Droplet Homeostasis**

Wang, C. W. & Lee, S. C., 2012 6 月 15, 於: *Journal of Cell Science*. 125, 12, p. 2930-2939.

2011

19. **Viral protein targeting to the cortical endoplasmic reticulum is required
for cell-cell spreading in plants**

Wu, C. H., Lee, S. C. & Wang, C. W., 2011 5 月, 於: *Journal of Cell Biology*. 193, 3, p. 521-535 15 p.

2010

20. **Traffic of a viral movement protein complex to the highly curved tubules
of the cortical endoplasmic reticulum**

Lee, S. C., Wu, C. H. & Wang, C. W., 2010 7 月, 於: *Traffic*. 11, 7, p. 912-930 19 p.

2006

21. **Exomer: A coat complex for transport of select membrane proteins from
the trans-Golgi network to the plasma membrane in yeast**

Wang, C. W., Hamamoto, S., Orci, L. & Schekman, R., 2006 9 月 25, 於: *Journal of Cell Biology*. 174, 7, p. 973-983 11 p.

2005

22. **Atg17 regulates the magnitude of the autophagic response**

Cheong, H., Yorimitsu, T., Reggiori, F., Legakis, J. E., Wang, C. W. & Klionsky, D. J., 2005 7 月, 於: *Molecular Biology of the Cell*. 16, 7, p. 3438-3453 16 p.

2004

23. **Atg21 is a phosphoinositide binding protein required for efficient lipidation and localization of Atg8 during uptake of aminopeptidase I by selective autophagy**

Strømhaug, P. E., Reggiori, F., Guan, J., Wang, C. W. & Klionsky, D. J., 2004 8 月, 於: *Molecular Biology of the Cell*. 15, 8, p. 3553-3566 14 p.

24. **Early Stages of the Secretory Pathway, but Not Endosomes, Are Required for Cvt Vesicle and Autophagosome Assembly in *Saccharomyces cerevisiae***

Reggiori, F., Wang, C. W., Nair, U., Shintani, T., Abeliovich, H. & Klionsky, D. J., 2004 5 月, 於: *Molecular Biology of the Cell*. 15, 5, p. 2189-2204 16 p.

2003

25. **The molecular mechanism of autophagy**

Wang, C. W. & Klionsky, D. J., 2003, 於: *Molecular Medicine*. 9, 3-4, p. 65-76 12 p.

26. **Vps51 is part of the yeast Vps fifty-three tethering complex essential for retrograde traffic from the early endosome and Cvt vesicle completion**

Reggiori, F., Wang, C. W., Stromhaug, P. E., Shintani, T. & Klionsky, D. J., 2003 2 月 14, 於: *Journal of Biological Chemistry*. 278, 7, p. 5009-5020 12 p.

27. **Yeast homotypic vacuole fusion requires the Ccz1-Mon1 complex during the tethering/docking stage**

Wang, C. W., Stromhaug, P. E., Kauffman, E. J., Weisman, L. S. & Klionsky, D. J., 2003 12 月 8, 於: *Journal of Cell Biology*. 163, 5, p. 973-985 13 p.

2002

28. The Ccz1-Mon1 protein complex is required for the late step of multiple vacuole delivery pathways

Wang, C. W., Stromhaug, P. E., Shima, J. & Klionsky, D. J., 2002 12 月 6, 於: *Journal of Biological Chemistry*. 277, 49, p. 47917-47927 11 p.

2001

29. Apg2 Is a Novel Protein Required for the Cytoplasm to Vacuole Targeting, Autophagy, and Pexophagy Pathways

Wang, C. W., Kim, J., Huang, W. P., Abeliovich, H., Stromhaug, P. E., Dunn, W. A. & Klionsky, D. J., 2001 8 月 10, 於: *Journal of Biological Chemistry*. 276, 32, p. 30442-30451 10 p.